

DDH
8-29-06

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	190	711/212.ccls.	USPAT	OR	ON	2006/08/29 09:52
L2	242	712/209.ccls.	USPAT	OR	ON	2006/08/29 09:52
L3	0	(address same truncat\$3 same (zero and sign) near3 exten\$4).clm.	US-PGPUB	OR	ON	2006/08/29 09:53
L4	0	(address same (zero and sign) near3 exten\$4).clm.	US-PGPUB	OR	ON	2006/08/29 09:53
L5	3	(address and (zero and sign) near3 exten\$4).clm.	US-PGPUB	OR	ON	2006/08/29 09:53
L6	41	(RONEN-RONNY PELEG-ALEXANDER).in.	US-PGPUB	OR	ON	2006/08/29 09:54
L7	103	(RONEN-RONNY PELEG-ALEXANDER).in.	US-PGPUB; USPAT	OR	ON	2006/08/29 09:54
L8	0	(RONEN-RONNY PELEG-ALEXANDER).in. and (sign and zero) near3 exten\$4	US-PGPUB; USPAT	OR	ON	2006/08/29 09:56
L9	0	(RONEN-RONNY PELEG-ALEXANDER).in. and (sign zero) near3 exten\$4	US-PGPUB; USPAT	OR	ON	2006/08/29 09:56
S1	188	712/209.ccls. and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2005/03/08 09:11
S2	173	712/229.ccls. and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:28
S3	12	712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 10:12
S4	1	712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and (truncat\$3 with address) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 10:13
S5	12	712/229.ccls. and ("64" near5 processor) and ("32" near5 instruction) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:31
S6	12	((("64" "96" "128") near5 processor) and (("32" "16") near5 instruction) and (truncat\$3 with (target address)) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:40
S7	45	emulat\$3 and instruction and (truncat\$3 with (address target))and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:42
S8	40	emulat\$3 and architecture and instruction and (truncat\$3 with (address target))and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:48

EAST Search History

S9	129	("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 11:50
S10	24	((("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<="20000328") and (address adj2 space) and (truncat\$3 extend) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 15:41
S11	15	emulat\$3 and truncat\$3 with extend and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 15:43
S12	9	(truncat\$3 same extend same "32" same "64") and address and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 16:36
S13	8	select\$4 same ((signed and unsigned) with address) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/06 16:38
S14	48	(flag bit) with control with (signed and unsigned) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/07 11:44
S15	6	(signed and unsigned) near2 address and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/07 11:46
S16	86	unsigned near2 address and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/07 11:51
S17	7	(unsigned near2 address) with memory and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/07 11:53
S18	15	unsigned with address with space and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/07 11:54
S19	3	signed with address with space	US-PGPUB; USPAT	OR	OFF	2003/01/08 11:36
S20	2	compar\$4 with address with "32" with "64" with (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:39
S21	336	compar\$4 with address with (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:41
S22	88	compar\$4 near3 address near5 (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:42
S23	28	compar\$4 adj address near5 (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:51
S24	50	(mask with address with (fault exception)) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:53
S25	5	compar\$4 with (overflow wraparound) with (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:55

EAST Search History

S26	1	compar\$4 with (overflow wraparound) same (address with (fault exception)) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 11:56
S27	1	(compar\$4 with address) same (overflow wraparound) with (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 13:05
S28	69	address with (overflow wraparound) with (fault exception) and @ad<="20000328"	US-PGPUB; USPAT	OR	ON	2003/01/08 13:07
S29	14	("3828316" "4161784" "4206503" "4366548" "4386399" "4398243" "4409655" "4434459" "4608634" "4675809" "4785393" "4868740" "4890251" "5301338").PN.	USPAT	OR	OFF	2003/12/08 08:40
S30	23	"5420992".URPN.	USPAT	OR	OFF	2003/05/15 11:27
S31	17	(truncat\$3 with address\$2) same (extend\$3 with address\$2)	US-PGPUB; USPAT	OR	ON	2003/05/15 13:12
S32	2	(truncat\$3 with address\$2) same (extens\$3 with address\$2)	US-PGPUB; USPAT	OR	ON	2003/12/04 13:44
S33	477	porting with (program application)	US-PGPUB; USPAT	OR	ON	2003/05/15 13:46
S34	216	porting near2 (program application)	US-PGPUB; USPAT	OR	ON	2003/05/15 13:47
S35	33	porting near2 (program application) and (address with (truncat\$3 sign exten\$4))	US-PGPUB; USPAT	OR	ON	2003/05/15 13:48
S36	49	porting with (program application) and (address with (truncat\$3 sign exten\$4))	US-PGPUB; USPAT	OR	ON	2003/05/15 13:51
S37	16	porting with (program application) and (address with (truncat\$3 sign))	US-PGPUB; USPAT	OR	ON	2003/05/15 14:00
S38	98	confin\$3 with memory with (application program)	US-PGPUB; USPAT	OR	ON	2003/05/15 14:01
S39	15	("64" near2 bit near2 address) with ("32" near2 bit near2 space)	US-PGPUB; USPAT	OR	ON	2003/12/02 15:01
S40	3	(US-6049667-\$ or US-5920722-\$ or US-5826057-\$).did.	USPAT	OR	OFF	2003/12/02 14:20
S41	1	((US-6049667-\$ or US-5920722-\$ or US-5826057-\$).did.) and exten\$4	US-PGPUB; USPAT	OR	ON	2003/12/02 14:20
S42	263	("64" near2 bit near2 address) with ("32" near2 bit) and exten\$4	US-PGPUB; USPAT	OR	ON	2003/12/02 15:01
S43	5	("64" near2 bit near2 address) with ("32" near2 bit) and exten\$4 same truncat\$3	US-PGPUB; USPAT	OR	ON	2003/12/02 15:07

EAST Search History

S44	232	porting near2 (program application)	US-PGPUB; USPAT	OR	ON	2003/12/02 15:07
S45	24	porting near2 (program application) and ((truncat\$3 exten\$4) near3 address)	US-PGPUB; USPAT	OR	ON	2003/12/02 15:08
S46	8	(confin\$3 near3 (application program) with memory) same address	US-PGPUB; USPAT	OR	ON	2003/12/04 13:47
S47	0	(truncat\$4 with (half "32") with ("64" near2 address))	US-PGPUB; USPAT	OR	ON	2003/12/04 13:48
S48	1	(truncat\$4 with ("64" near2 address))	US-PGPUB; USPAT	OR	ON	2003/12/04 13:49
S49	1	truncat\$4 with half with address	US-PGPUB; USPAT	OR	ON	2003/12/04 15:43
S50	2	((flag indicat\$4 specif\$3) with unsigned with signed with address) same exten\$4	US-PGPUB; USPAT	OR	ON	2003/12/04 15:44
S51	0	(unsigned with signed with address) same exten\$4 same truncat\$3	US-PGPUB; USPAT	OR	ON	2003/12/04 15:44
S52	0	angiulli.in.	IBM_TDB	OR	OFF	2003/12/08 08:41
S53	1	(enhancement and MH).ti.	IBM_TDB	OR	OFF	2003/12/08 09:01
S54	77	(backward near2 (compatible compatibility)) and (exten\$5 near3 address)	USPAT	OR	OFF	2003/12/08 09:05
S55	111	(backward near2 (compatible compatibility)) and (exten\$5 near3 address)	USPAT	OR	ON	2003/12/08 09:06
S56	24	(backward near2 (compatible compatibility)) and ((zero sign) near2 exten\$5 near3 address)	USPAT	OR	ON	2003/12/08 09:07
S57	13	((zero and sign) near2 exten\$5 near3 address)	USPAT	OR	ON	2003/12/08 10:33
S58	157	711/212.ccls.	USPAT	OR	ON	2003/12/08 10:40
S59	85	711/212.ccls. and exten\$4	USPAT	OR	ON	2003/12/08 11:08
S60	7	711/212.ccls. and exten\$4 and (signed and unsigned)	USPAT	OR	ON	2003/12/08 10:52
S61	6	711/212.ccls. and exten\$4 and (signed and unsigned) not extent	USPAT	OR	ON	2003/12/08 10:58
S62	377	(flag bit) with (zero and sign) near2 exten\$4	USPAT	OR	ON	2003/12/08 10:58
S63	57	(flag signal) with (zero and sign) near2 exten\$4	USPAT	OR	ON	2004/05/20 13:30
S64	5	(flag signal) with (zero and sign) near2 exten\$4 with address	USPAT	OR	ON	2003/12/08 11:04

EAST Search History

S65	0	((flag bit signal) near2 indicat\$3) with (zero and sign) near2 exten\$4 with address	USPAT	OR	ON	2003/12/08 11:04
S66	0	((flag bit signal) near4 indicat\$3) with (zero and sign) near2 exten\$4 with address	USPAT	OR	ON	2003/12/08 11:05
S67	5	711/212.ccls. and (zero and sign) near2 exten\$4	USPAT	OR	ON	2003/12/08 14:12
S68	3	(signed and unsigned) near3 address near2 space	USPAT	OR	ON	2003/12/08 14:27
S69	2	((zero near1 exten\$4) with address) same (advantage\$3 benefit)	USPAT	OR	ON	2003/12/08 14:31
S70	0	((zero near1 exten\$4) with "32-bit address") same "64-bit address"	USPAT	OR	ON	2003/12/08 14:34
S71	0	((zero near1 exten\$4) with "32-bit address")	USPAT	OR	ON	2003/12/08 14:34
S72	0	((advantage benefit) with unsigned with address with space)	US-PGPUB; USPAT	OR	ON	2003/12/08 16:14
S73	1	((advantage benefit) with unsigned with address\$3)	US-PGPUB; USPAT	OR	ON	2003/12/08 16:24
S74	9	((advantage benefit) with unsigned with number)	US-PGPUB; USPAT	OR	ON	2003/12/09 08:59
S75	1	pointer with exten\$4 with (zero and sign)	US-PGPUB; USPAT	OR	ON	2003/12/08 17:03
S76	47	((advantage benefit pro) with unsigned)	US-PGPUB; USPAT	OR	ON	2003/12/09 09:02
S77	17	(use implement) with unsigned with address	US-PGPUB; USPAT	OR	ON	2003/12/09 09:18
S78	1	(simple straightforward) with unsigned with address	US-PGPUB; USPAT	OR	ON	2003/12/09 09:19
S79	342	711/213.ccls.	US-PGPUB; USPAT	OR	OFF	2004/02/03 16:42
S80	132	711/214.ccls.	US-PGPUB; USPAT	OR	OFF	2004/02/03 16:42
S81	58	(flag signal) with (zero and sign) near2 exten\$4	USPAT	OR	ON	2004/05/20 13:30
S82	379	711/213.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:48
S83	145	711/214.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:49
S84	171	711/212.ccls.	USPAT	OR	ON	2004/11/12 15:49
S85	0	flag with (signed unsigned) with "address space"	USPAT	OR	ON	2004/11/12 15:53

EAST Search History

S86	0	flag with (signed and unsigned) with space	USPAT	OR	ON	2004/11/12 15:53
S87	0	flag with (signed and unsigned) with address\$3	USPAT	OR	ON	2004/11/12 15:53
S88	42	(indicat\$3 bit) with (signed and unsigned) with address\$3	USPAT	OR	ON	2004/11/12 15:53
S89	65	(unsigned with ("0" zero) near2 (extend\$3 extension)) and (signed with sign near2 (extend\$3 extension)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:14
S90	0	((unsigned near5 (address\$3 space)) with ("0" zero) near2 (extend\$3 extension)) and ((signed near5 (address\$3 space))with sign near2 (extend\$3 extension)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:17
S91	198	(ronen peleg).in. and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:17
S92	126	(ronen-ron\$ peleg-alex\$.in. and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:18
S93	65	(ronen-ron\$ peleg-alex\$.in. and (extend\$3 extension) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:18
S94	2	(ronen-ron\$ peleg-alex\$.in. and (zero sign) near5 (extend\$3 extension) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 09:19
S95	0	compar\$4 with address with truncat\$3 with extend\$3 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 16:21
S96	129	compar\$4 with address with extend\$3 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 16:21
S97	1	compar\$4 with address with extend\$3 same (different match equal) with (error fault) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/08 16:22
S98	57	(confin\$3 restrict\$3) with (program application) with (address near2 space)	US-PGPUB; USPAT	OR	ON	2005/10/19 16:40
S99	47	(confin\$3 restrict\$3) with (program application) with (address near2 space) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/10/19 16:52
S10 0	31	(confin\$3 restrict\$3) with (program application) with (address near2 space) and exten\$4 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/10/20 08:21
S10 1	53	(confin\$3 restrict\$3) with (program application) with ((memory near2 (space subset)) (address\$3 near2 subset)) and exten\$4 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/10/20 08:23

EAST Search History

S10 2	2	(confin\$3 restrict\$3) with (program application) with ((memory near2 (space subset)) (address\$3 near2 subset)) and exten\$4 and truncat\$3 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/10/20 08:23
S10 3	1	huisman.xa. and spill\$3	US-PGPUB; USPAT	OR	ON	2006/08/28 16:19
S10 4	0	"unsigned address space"	US-PGPUB; USPAT	OR	ON	2006/08/28 16:19
S10 5	0	"signed address space"	US-PGPUB; USPAT	OR	ON	2006/08/28 16:19